### LLC "Real-V"

# **Z**•union<sup>®</sup>

### AI& IT solution

Applied cases of using AI technologies





### MAIN DESCRIPTION

### MACHINE LEARNING

(англ. machine learning, ML) — is the study of computer algorithms that can improve automatically through experience and by the use of data. It is seen as a part of artificial intelligence. Machine learning algorithms build a model based on sample data, known as "training data", in order to make predictions or decisions without being explicitly programmed to do so

### DEEP LEARNING

Deep learning (also known as deep structured learning) is part of a broader family of machine learning methods based on artificial neural networks with representation learning. Learning can be supervised, semi-supervised or unsupervised.

For the construction of such methods, the means of mathematical statistics, numerical methods, optimization methods, probability theory, graph theory, various techniques for working with data in digital form are used.





### THE MAIN TASKS TO BE SOLVED ON THE BASIS OF ML/DL

1) **regression** (predicting numerical values of features, for example, predicting future sales volumes based on known sales data in the past);

2) classification (predicting which of the known classes an object belongs to, for example, predicting whether a borrower will repay a loan, based on data on how borrowers have repaid loans in the past);

3) **clustering** (dividing a large set of objects into clusters - classes within which objects are similar to each other, for example, market segmentation, dividing all consumers into classes so that consumers are similar to each other within classes, and differ in different classes);

4) **anomaly detection** (search for rare and unusual objects that differ significantly from the main mass, for example, search for fraudulent transactions);

5) **stylization** (changes in the visual parameters of objects in accordance with any specified parameters of the imitated entity. For example: Prisma application-stylization of the input image in a given style)

6) **generation** (generation of a new object/component based on the properties of objects/components from a given training sample. For example: text generation, voice generation, picture generation, etc.)



### WORK WITH THE DATA. SOME OF THE PROVIDED SERVLY SISICES

### Data analysis

Technologies designed for searching non-obvious, objective and useful patterns in large amount of data

### **Data extraction from the web-resources**

Development and customization of parsing systems, processing information from various websites

### **Knowlege extraction from the data**

Using of advanced mathematical tools in solving complex business problems in commercial projects in order to extract practically useful information from data

### **Data collection**

Extraction of a large amount of unrelated data from various sources based on the task, data processing (cleaning, conversion to a standard type) and subsequent aggregation

### Integration

- Assistance in integration the developed solutions in the customer's information systems
- Automation of marketing functions and deep customer analytics





### **DIRECTIONS:**



### - Machine learning / Deep learning

- Software development
- Blockchain
- Reinforcement Learning

- Custom-made Research and Advanced Development







Центр AI & IT решений



### THE MAIN TRENDS





### THE MAIN STAGES OF THE ALGORITHMS BASED ON ML/DL'S PRODUCTION



requirements for the collection of a training

Development and training of a test baseline model

Assessment of quality parameters, collection and marking of an additional sample, additional training



## Retai Tech





Our case (online fitting):

### **ONLINE FITTING**

### TECHONOLY STUDY DOMAIN:

### Computer vision

### TECHONOLY:

Semantic Segmentation, CycleGAN, pix2pix; Component: Object Classification

### MAIN MISSION:

Online fitting the covers on the sofas. To include the solution, which will allow users to load photo of sofa and to try on the cover from the shop, on the website of the company

### SOLUTION

- Development of a neuronet for determination of a sofa on the photo
- Development of an algorithm of imposing of textures taking into account depths and shadows of the image
- Transfer and adaptation of the solution on servers
- Including the solution on the webpage

### THE RESULT:

- Development of a neuronet for determination of a sofa on the photo
- Development of an algorithm of imposing of textures taking into account depths and shadows of the image
- Transfer and adaptation of the solution on servers
- Including the solution on the webpage



### TECH STACK:

### TensorFlow, PyTorch, Cuda

### The technology card of the development



0000



### Technology



Technology





### The solutions concept



shape and camera







### The solutions concept (concept result)

The task of transferring the artist's style (some results)

| 1 | $\sim$      |
|---|-------------|
|   | ĞS<br>ES    |
|   | ram         |
| J | tra         |
|   | Цt          |
|   | du          |
| ÷ | _           |
|   |             |
|   |             |
|   | 2           |
|   | Ψ.          |
|   | $\bigcirc$  |
|   | $\Box$      |
|   | $\bigcirc$  |
|   | ions concep |
|   | S           |
|   | $\Box$      |
|   | 0           |
|   | $\Xi$       |
|   | Ξ_          |
|   | <u> </u>    |
|   | $\bigcirc$  |
|   | S           |
|   | Э<br>С      |
| Ē | <u> </u>    |
| ŀ |             |

| Enter custom | er's data  | Measurements                 |
|--------------|--|------------------------------|
| Unique name: | Roman V  | Linear Volume                |
| Height:      | 180  | cm in                        |
| Gender:      | Female Male  | Neck to upper hij<br>length: |
|              |  | Outside leg lengt            |
| ~            |  | Inside leg length:           |
|              |  | Straight body rise           |
|              |  | Outer arm length             |
|              |  | Back neck point t<br>length: |
| 4            | P R  | Upper hip breadt             |
|              |  | Back shoulder wi             |
|              | the second s | and the second second        |

### s (cm)

### etric

| ip       | 54.8  | Back neck point to<br>waist:    | 45.9  |
|----------|-------|---------------------------------|-------|
| th:      | 112.5 | Side neck to bust point:        | 25.2  |
| 6        | 72.0  | Side bust point to waist level: | 16.4  |
| ie:      | 31.1  | Side waist level to<br>ankles:  | 105.0 |
| h:       | 61.0  | Side neck point to knee:        | 106.5 |
| to wrist | 82.3  | Side neck point to waist level: | 45.9  |
| th:      | 32.3  | Back neck height:               | 152.9 |
| idth:    | 42.5  | Bust height:                    | 130.0 |
|          | 34.9  | Hip height:                     | 91.6  |
|          | đ     |                                 |       |





### **EMOTION RECOGNITION**

### **TECHNOLOGIES THAT ARE USED**

Neuralnetwork technologies

### TASK:

Automated collection of feedback from people regarding an event/product

### SOLUTION:

A set of neural network algorithms trained to recognize target emotions in real time based on a video sequence (age, emotions, gender)

### RESULT

Automatic processing of the video sequence from the cameras, building an emotional map of the event,





### SYSTEM OF AN AUTOMATIC ACCESS AND VIDEOALALYSIS

### **TECHNOLOGIES THAT ARE USED**

Biometric scanner based on the face and voice identification

### TASK

Systematization of the collection and analysis of the emotional loyalty of the customer. To realize a qualitative research of customers (surveys, interviews).

### RESULT

customers often enjoyed

Determines the gender identity of the respondent with high accuracy, which allows us to build hypotheses about the correlation of gender and product features Allows you to make a comparative analysis of products and determine the taste of which product

### SOLUTION

1. The administrator sets parameters for calculations: data to collect, period of data collection, the task for calculation

2. Al collects data using cameras

3. Sorting and recording data to the database. Calculations based on the received data

4. The system uploads the report into the administration's pannel

### **TECHNICAL STACK:**

TensorFlow, PyTorch, Cuda







### **SMART TASTING - EMOTION RECOGNITION SYSTEMS ONLINE AND ON THE RECORD**

### **TECHNOLOGIES THAT ARE USED**

A neural network ensemble consisting of a set of models for classifying the input set of images and audio signals into three main groups

### TASK

Based on the business task, determine the emotions of the customer at each stage of work to increase the KPI at various stages of the funnel

### RESULT

- 1. Food tasting
- 2. HR brand development and team level improvement
- 3. Use in education and development

### SOLUTION

- 1. Collecting and analyzing information about the product under study
- 2. Defining business goals and business tasks for setting up metrics
- 3. Design and development of an interactive constuction used for the installation of the system
- 4. Implementation and configuration of a data collection system: a face recognition system, a system for determining gender, age and emotions







## ProdTech (production)



### THE MAIN PRODUCTION TASKS SOLVED BY AI





### **TECHNOLOGIES THAT ARE USED**

Time series analysis, XGBoost, CatBoost, neural networks

### TASK:

Development of a model predicting problems in the operation of the extruder. Early detection of signs of blockage of the extruder, prevention of downtime for technical reasons. Predicting potential problems in the operation of equipment

### **SOLUTION:**

• Analysis of time series of sensor readings, search for dependencies between sensors;

- Detection of anomalies in sensor readings in historical situations when the extruder was stopped, building the forecast based on the current counter;
- Determination of thresholds indicating an early stop of the extruder. Creating a model that "triggers" and sends notifications to the operator about such situations;

### RESULT

- The share of predicted problems is about 80%;
- Reduction of equipment downtime due to technical reasons;
- The horizon for predicting problems is from 10 minutes to several hours (prevention requires from 5 to 30 minutes)

### **TECHNICAL STACK:**

### TensorFlow, PyTorch, Cuda





### THE TASK goals

1. Reducing the time for analyzing the key blocks of the considering vehicle without losing the accuracy of detecting problems

Realisation of identification and automatic filling of the pre-trip control registration log using machine vision technologies that determine the degree of damage relative to each considering object
Increase the useful working time of the vehicle, while reducing the time of unscheduled repairs as much as possible



Repair history (planned and unplanned)



## SOLUTION: MONITORING THE TECHNICAL STATUS OF THE VEHICLE IN REAL-TIME

Analysis of images received from the driver before the start of the trip

Integration of acoustic sensors, sensors for collecting the state of key components of the car, an adapter for an already built-in car self-diagnosis system (for collecting information)

\* The specified location of the sensors is an example, a more accurate map of the location of the sensors depends on the vehicle model and on the stage of development of the technical task for the project



### SOLUTION: ANALYSIS OF TECHNICAL DATA OF THE VEHICLE



\*The report shown is an example of how the system can be visualized. After the prototyping stage, the format agreed with the customer will be obtained



### THE FUNCTIONALITY OF THE DEVELOPED SYSTEM





### **BUILDING A DIGITAL MODEL OF A FACTORY**

### TASK:

Modeling of business and production processes of existing production, search for "bottlenecks" in production in order to eliminate them, search for parameters that affect the yield of good products

### **SOLUTION:**

• Building a data-centric system for collecting engineering and production information;

• Creation and visualization of a graph of dependencies between processes as well as equipment;

• Construction of a predictive model of the yield of good products. Based on the data of the release of past batches, where we know the input parameters (i.e., the parameters of raw materials, the competence of operators, technologists, the parameters of technological equipment, etc.) and the percentage of the yield of good products after the completion of the production process, the classifier parameters are selected and configured using machine learning algorithms.

### **RESULT:**

- Modeling processes of a factory, reducing defects;
- A decision support system has been made
- Improving the manageability of complex technological production

### **TECHNOLOGIES THAT ARE USED**

Time series analysis, XGBoost, CatBoost, neural networks

**TECHNICAL STACK:** 

TensorFlow, PyTorch, Cuda

ЭЛАНТ

(архитектурно-строительная часть скрыта для наглядности



### **EVENT RECOGNITION VIA CAMERAS**

### **TECHNOLOGIES THAT ARE USED**

Neural network technologies, computer vision

### TASK:

Video analytics system in the production workshop, which allows you to get analytical information aggregated from different parts of the workshop. The system works online and allows you to make management decisions quickly

SOLUTION:

A complex of neural network algorithms trained to recognize target types of events

### **RESULT:**

Increase in labor productivity on average by 15% Full transition to piecework payment for operators Improving the manageability of the enterprise







### INTERFACE FOR PREDICTIVE MARKUP OF POWER LINES' PHOTOS

### TASK:

Increasing consumer requirements for the reliability of power supply in context of the continuing increase in the material wear out of all elements of power lines. Today, it is necessary to react more quickly both to emerging defects and violations of the operating conditions of power lines, and to eliminate breakdowns that have caused emergency shutdowns.

### SOLUTION:

Step 1. Detection (With the help of a retinanet-based detector we will find objects such as wires, supports, garlands of insulators, vibration dampers) Step 2. Classification (The detected objects (for example, a garland of insulators) are classified using the EfficientNet neural network: whether all insulators are present in the garland or not.)

Step 3. Result (The malfunction is highlighted in red, the absence of problems in green)



### **RESULT:**

- 1. Exclusion of under-supply of electricity
- 2. Reducing the cost of the payroll by reducing / eliminating crawlers
- 3. Saving of fuel and lubricants
- 4. Increase in the percentage of power lines diagnosed in time

отсутствие изоляторов в гирлянде

обрыв провода или грозотроса

смещение гасителя вибрации провода Не обнаружено

Возможно

Анализируем...



### GO TO THE PLATFORM



### **AR-MODELING OF SPACE**

### **TECHNOLOGIES THAT ARE USED**

Mobile development, ARKit

### TASK:

Augmented reality in the city: demonstration of new buildings, events, reconstructions, tourist attractions, historical events

### SOLUTION:

Platforms for AR-presentations Z-UNION based on the platform for the presentation of construction projects

### **RESULT**:

Increasing the tourist traffic through the main places of the city by 20%, gamification, an additional advertising ability for business

### EXAMPLE (AIR)

### EXAMPLE (CRAFT)



### PRESENTATION OF CONSTRUCTION PROJECTS

### **TECHNOLOGIES THAT ARE USED**

Biometric scanner based on facial and voice identification

### TASK:

Create a catalog of 3D houses projects

### SOLUTION:

• Using and writing libraries of mobile applications for placing 3D models

• Creating a mobile application

• Transfer of 3D house projects to the mobile application catalog

### **RESULT:**

• An application that allows builders to demonstrate an object without a stand

• The opportunity for the client to walk around the house with a mobile device in his hands, before the start of its construction

• The ability to estimate the finished result by projecting it on the building site

### GO TO THE PLATFORM







### PROBLEM





More than 30% of false negative COVID-19 test results

The test result can take up to several days

Analysis of medical images (CT, fluorography) is one of the most sensitive methods of diagnostics COVID – 19/cancer, the time of CT/fluorography research takes 25-30 minutes, **we can do it for the 60-90 sec** 



### AI DETERMINES THE DIAGNOSIS OF DISEASE



Al recommender systems based on medical analysis data obtained from CT / fluorographic

Radiography are one of reliable way to diagnose COVID-19, cancer and others disases











### AI DETERMINING THE DIAGNOSIS OF LUNG DISEASE BY X-RAY IMAGE

### TASK:

Based on the input X-ray images of the human chest, determine the diagnosis with an accuracy of at least 80%, identify the area of pathology with an accuracy of at least 70%

### SOLUTION:

A recommendation system that offers its own versions of conclusions based on the entered features, which are filled in during the finalized descriptions of each specific study

### **RESULT:**

- Increasing the capacity of medical institutions
- Increasing the accuracy of diagnosis
- Possibility of remote diagnosis (introduction of telemedicine functions)





### GO TO THE PLATFORM



### **AI RECOMMENDATION SYSTEMS FOR DIAGNOSTICS** DISEASES (COVID-19)

### TASK:

Establishing connections between the highlighted colored area and the real area of pathology. The main task is to investigate the correlation between the selected segment of grayscale in the image and the pathology itself in order to achieve fast high-precision marking independent of the human factor in terms of the accuracy of the selection and detection of the pathology segment

### **MARKUP MODULE:**

Web application (DICOM image markup, DICOM attribute markup (metadata)) DICOM image processing(based on grayscale (256-65536 shades))

### **RESULT:**

Frosted glass area: 180.770 ml Consolidation area: 11.472 ml Pleural effusion area: 53.084 ml The volume of the affected area of the lungs to the total volume of the lungs: 66% **TECHNICAL STACK:** 

**DICOM Viewers, PACS, a mathematical** algorithm for coloring gray areas on **DICOM** images

### THE PLATFO



### VISUALIZATION OF THE FIELD OF PATHOLOGY (COVID-19)

Automatic recognition of pathologies and their algorithm interpretation in the form of segmentation in the picture




# AI-REVEALS THE PATHOLOGY FROM MEDICAL DATA (COVID-19)



Frosted glass area: 180.770 ml Consolidation area: 11.472 ml Pleural effusion area: 53.084 ml

Volume of the affected area of the lungs to the total volume of the lungs: 66%

## **AI RECOMMENDATION SYSTEMS FOR DIAGNOSTICS DISEASES** (MALIGNANT TUMORS)

## TASK:

- Develop, train and integrate into a common ensemble of algorithms for processing medical data (including DICOM images, DICOM tags, patient metadata (including finalized protocols)

- Achieving classification accuracy of at least 95% per category (for the task of classifying images/studies)

- Achieving the accuracy of the pathology segment selection in the image is higher than 90% (for the segmentation task)

#### AI MODULE FOR THE DIAGNOSIS OF DISEASES

A model based on an artificial neural network for processing metadata(based on the analysis of DICOM tags, based on the analysis of patient metadata (finalized protocols)) A model based on an artificial neural network for processing DICOM images(segmentation of pathologies in the image, studies, diagnostics (classification of the image))

#### **RESULT:**

The probability of malignant tumors throughout the image is 92.03% Found 1 hearth with a volume of: - 7.2 ml Date of analysis - 2021-02-04

#### **TECHNICAL STACK:**

Frameworks: Tensorflow, PyTorch Segmentation NN: U-Net, W-Net, Mask R-CNN, MeshNet, CNN+CRF Language: Python 3





# VISUALIZATION OF THE FIELD OF PATHOLOGY







# AI-REVEALS THE PATHOLOGY FROM MEDICAL DATA (CANCER)



Probability of cancer over the entire image - **92,03%** Found 1 hearth with a volume of: 7,2 ml Date of analysis - 2021-02-04



# ANALYSIS OF DOCTORS' DIAGNOSES AND MAMMOGRAPHY

#### TASK:

 Development of a recommendation system that issues a diagnosis based on the data completed about each patient

2. Program analysis of mammography

#### **RESULT:**

Increasing the accuracy of differential diagnostics in the process of daily practical work of radiation diagnosticians

#### SOLUTION:

1.A recommendation system that offers its own versions of conclusions based on the entered features, which are filled in during the finalized descriptions of each specific study

2. Automatic image analysis systems perform an autonomous analysis of images obtained in the process of different studies by methods of radiation diagnostics. Based on the analysis, the systems offer their own versions of conclusions for each specific study.



#### Фиброзно-кистозная мастопатия



Вероятность заболевания Фиброзно-кистозная мастопатия Рак молочной железы ТNM - 200 Рак молочной железы ТNM - 100 Лактостаз Мастит Иастит Мастит Мастопатия





#### Classification of pathologies of the chest cavity / mammography, also recomendation systems for doctors



# SOLUTION ARCHITECTURE



Diagnostic devices (X-ray, mammography, MRI)

Al-Services (processing and recognition)

Doctor workplace (DICOM Viewer)

**We build our solution** into the software modules of medical information systems, screening system, web-application **to automate the process** of analyzing and processing medical / clinical data

Statement of the final diagnosis by the doctor

Prescribing treatment by doctor / recommendation to the patient



# GOAL AND NEEDS

#### MAIN GOAL

Introduce the practice of using artificial intelligence to diagnose diseases in medical institutions of the Russian Federation to obtain an objective independent opinion

#### VALUE PROPOSITION

We are looking for support of the constituent entities of the Russian Federation, Medical equipment manufacturers and an partners for launching pilots and the possibility of further development of the project in the development of AI algorithms for the diagnosis of other diseases.

Technical team of expert developers >10 years of experience in machine learning, deep learning with a set of pre-trained models on various topics





# DEVELOPMENT OF A MODEL FOR RECOGNIZING AND HIGHLIGHTING THE CONTENT PART OF A DOCUMENT

#### TASK:

A set of monotone documents is submitted to the system for input. It is necessary to build a system that can fill out the electronic version of these documents with high accuracy. You need to build both a markup tool and a recognition model based on TD and OCR technologies

#### **RESULT:**

- OCR: 96%
- Text Detection: 98%
- Document Classification: 99%
- Document Recognition: 94%

#### SOLUTION:

There has been created a software package that allows you to mark up and store this information about the document in the system, recognize the type of document and fill out its electronic form for a given type of document.





| Antonio antonio antonio a  | Договор генерального подряда  | 9,                  |
|--|---|---------------------|
| Constant,  | Основные сущести  |                     |
| Statement Statement & Statement & Statement  | 4000/10-FTT   | 19                  |
| and the second second  | 21 argument 2010 r  |                     |
| and the second s | <ul> <li>Участники согладяния</li> <li>портно-1</li> </ul>  |                     |
| a set and a set of a set as a set of a  | Orsparter assaces of gentee Vigoorae motion<br>Americanic agreement                               | w <sup>2</sup>      |
| Count management   | American recipientes  |                     |
| and the second date of the   | Deseptimental paperitata hyrightakiesis H.B.  |                     |
|  | No. of Concession   | 12                  |
| And a second sec | A recent  | and a second second |
|  | Chapterine is experienced interference with "type<br>Annual a groups<br>Frequencies of programmer | HCKOMOTINE"         |
| a spragare class process a resource statement  | Telephoneterit applacement (State   |                     |
| Andreastic De Contranti secondare e contacto Anto-   |   |                     |
| Table and a support constrained on particular accession of the support of the sup | Persona   | C.                  |

#### **GO TO THE PLATFORM**



# LEGAL TECH. AI DOCUMENTS - KOSYNKA PLATFORM

#### **TECHNOLOGIES THAT ARE USED**

A set of algorithms for text recognition and processing based on AI technologies. Natural language processing

#### TASK:

The company's contracts provide a number of conditions. At the same time, a significant part of the conditions are not taken into account and are not controlled automatically.

#### **RESULT:**

The efficiency of the execution of the terms of contracts is increased, the risk of liability is decreased, and there is a clear control over the execution of the terms of contracts.

#### SOLUTION:

To develop a model for the recognition and semantic evaluation of each contract in order to determine, distribute and fix the terms, responsibilities, responsible parties, events that affect the execution of the terms of the contracts







# PRODUCT APPLICATION AREA



#### «Kosynka platform»

is an innovative system of communication and document management, offering a new approach to the organization of work with documents

#### Applied technologies



A set of algorithms for text recognition and processing based on AI technologies



Natural language processing







Accounting, audit, finance

Law and consulting



# PRODUCT APPLICATION AREA



#### «Kosynka platform»

is an innovative system of communication and document management, offering a new approach to the organization of work with documents

#### Applied technologies



A set of algorithms for text recognition and processing based on AI technologies



Natural language processing







Accounting, audit, finance

Law and consulting



# TECHNOLOGICAL BASE OF THE SERVICE

The «Kosynka» service is the result of a symbiosis of advanced digital data processing and analysis technologies that allow working with information at a completely new level.



Semantic core





Linguistic dictionaries (databases of entities and concepts)

Knowledge graph (a formalized description of the logic of the subject area)

Linguistic rules (sets of natural language text processing rules)



#### Benefit of the solution:

semantic relationships with the help of additional training of the system.





Neural networks and machine learning (data analysis and processing tools)

The developed and applied semantic core allows you to extend the set of supported complex



# CURRENT CONSUMER PROBLEMS



Search for files and (search for the necessary document, identification of data)

information for verification The classical document management model

> Key problem: waste of time resources for performing routine operations, namely, saving / downloading files, sorting by files, searching for the necessary document and data from the file.



Disparate incoming data traffic (mail, messengers)





Storage management (structure definition, manual sorting)



Self-uploading files (completing the storage according to the accounting policy)



# HOW THE SERVICE WORKS



# Creating virtual data room

Uploading documents (e-mail, Telegram, file in the storage)

Identification of the document type (contract, power of attorney, invoice, payment order or financial report)

#### Data identification

(dates, amounts, names legal entity / sole proprietor, full name)

Identification of connections (the contract and the act/invoice/payment order to it)









# A new approach to communication and document management



#### Special address

or filter (for forwarding or autofiltering emails with attachments from counterparties)



#### Telegram Chatbot

(to interact with the storage without using the web interface)



#### Automatic systematization

(the file sent in the chat is saved and processed in the storage)



Creating group chats (for multi-user access to documents in the chatbot)



# SERVICE FUNCTIONALITY

Artificial intelligence and linguistic tools for processing text in natural language create the foundation for a new format for working with documents and data



1. Obtaining documents (auto-upload from e-mail, Telegram or manual upload to a shared file)





4. Identifying relationships (identification of logically related documents)



#### Storage organization options

B<sub>2</sub>C

providing the necessary amount of cloud storage and regular backups

#### 2. Classification and sorting

(determination of the type of each document and distribution by libraries and files)



### 3. Semantic analysis

(analysis of the document content and highlighting of key data)



#### Storage placement on the client's servers (full control over documents and data)



# USER INTERACTION

The ease and convenience of the interface is the key to effective work with documents and data

#### Administration of the service flexible storage settings, role management and

setting access levels for employees

3. Search for data by name, by date, by user, by tags, by types, by relations

2. Access from mobile devices interaction with the storage from a mobile phone and / or a browser window

4. Working with relations building a unified graph and the relationship of documents







## OUR OWN DEVELOPED OCR MODULE (DEVELOPMENT OF A MODEL FOR RECOGNIZING AND HIGHLIGHTING THE CONTENT PART OF A DOCUMENT)

#### TASK:

A set of monotone documents is submitted to the system for input. It is necessary to build a system that can fill out the electronic version of these documents with high accuracy. You need to build both a markup tool and a recognition model based on TD and OCR technologies

#### SOLUTION:

There has been created a software package that allows you to mark up and store the information about the document in the system, recognize the type of the document and fill out its electronic form for a given type of the document

### **RESULT**:

- OCR: 96%
- Text Detection: 98%
- Document Classification: 99%
- Document Recognition: 94%





#### VIDEO OF THE ALGORITHM OPERATION



# NediaTech





## **DEMO EXAMPLE OF BLOCKING A TARGET OBJECT ON A VIDEO STREAM**

#### **TECHNOLOGIES THAT ARE USED**

Semantic detection and segmentation; Component: object detection and classification

#### TASK:

When solving various problems of hiding the target object, it is necessary to solve the problem of detecting the object in the image and stylizing it in real time.

#### **SOLUTION:**

- The ability to use it on any objects.
- Quick use on a small number of items
- Transfer-training on the detection of objects of different types
- Segmentation of the object by the boundaries of the object
- Recognition of the object's movements (for example, for recognizing the object's movements and actions)
- Recognition and blocking of unwanted content during an online broadcast

#### **RESULT:**

- Average quality of object detection in the image is 95%
- Average quality of object detection in the image 93%
- Average quality of object pathway tracking in the video stream 97%
- Average quality of the recognized object in the video stream 89%

#### **TECHNICAL STACK:**

Tensor stream; OpenCV; Python; Cuda, iOS, WebTech, mobile technologies







# **ADS INTEGRATED INTO THE VIDEO STREAM**

#### **TECHNOLOGIES THAT ARE USED**

Semantic detection and segmentation; Component: object detection and classification, GAN / CycleGAN

#### TASK:

We can recognize every object in the video stream, and this gives us the opportunity to integrate any media content in the post-processing format.

#### **RESULT:**

- Increasing brand awareness
- Increasing attractiveness of the brand.
- Increasing attention to the brand
- A new way to present information about your product.

#### **SOLUTION:**

- Our special technology based on artificial intelligence analyzes the content to find the most effective places for ads.
- Brands can target an interested audience with cinematic-quality advertising campaigns on all devices.
- Brands can easily scale campaigns by series, impressions and networks.

#### **TECHNICAL STACK:**

Tensor stream; OpenCV; Python; Cuda, iOS, WebTech, mobile technologies









# **ANIMATION OF PHOTO AND VIDEO CONTENT**

#### TASK:

Creating universal media and entertainment content for transforming photos and videos of any format

#### **RESULT:**

- Лёгкая доступность создания контента с GAN
- Снижение затрат на графические измнения
- Реалистичный результат в отличие от существующих технологий

# SOLUTION:

Using scanning of face sensors via telephone devices with the help of DeepFake technology, which allows users to animate a still image of a face













#### **VIDEO OF THE ALGORITHM OPERATION**



# **TOUCHPAD PANELS OF ANY SIZE**

#### **TECHNOLOGIES THAT ARE USED**

Infrared technologies, Web technologies

#### TASK:

Attract the attention of tourists and the public, achieve a WOW effect, increase tourist and human traffic, increase the involvement of offline traffic, increase sales

#### SOLUTION:

A technology that allows you to make any surface touchable

### **RESULT**:

Increase conversion and awareness, an additional way for attracting buyers/customers







# **EDUCATIONAL APPLICATION BRAINY 21**

#### TASK:

To make the process of studying and memorizing theoretical material more understandable and interesting for schoolchildren and students, to increase involvement in the educational process

#### SOLUTION:

- Development of an online AR and VR educational platform with an explanation of the educational material;

- Gamification of the educational process through a system of scoring points and rewards

#### **RESULT:**

The percentage of information assimilation is over 90%;

More than 95% of students weren't distracted from the educational process ;

In the group with the traditional approach to explaining the material, the indicators were 2-3 times lower





# **AR NAVIGATION**

#### TASK:

Creating augmented reality in the city (internal user navigation)

#### SOLUTION:

Mobile applications for AR placement of key points linked to a specific place in the real world for AR navigation on the area

### **RESULT:**

Increased engagement, increased traffic, user-friendliness, timesaving







# AR IN THE TOURISM'S FIELD

#### **TECHNOLOGIES THAT ARE USED**

Mobile development, ARKit, ARCore

#### TASK:

Increasing the tourist attractiveness of the area and increasing the tourist traffic

#### SOLUTION:

Develop a mobile application in augmented reality, in which you can enrich the real environment by adding a list of virtual audiovisual effects, such as videos, 3D models, animations and custom sounds.

#### **RESULT:**

A bright informational occasion; a positive public opinion regarding the tourist season and the professions of the tourism and hospitality industry.





# **EVENT RECOGNITION VIA CAMERAS**

#### **TECHNOLOGIES THAT ARE USED**

Neural network technologies

#### TASK:

Using the city video surveillance system, the relevant services should signal about illegal events (a fight, garbage thrown by a person, garbage that wasn't cleaned by communal services, an accident, etc.)

#### SOLUTION:

A complex of neural network algorithms trained to recognize target types of events

#### **RESULT:**

Automatic processing of video sequences from video surveillance cameras, increasing the accuracy of event detection by 80%, increasing the response time of services by 60%







# **CONVERTING A VIDEO INTO A CARTOON (STYLIZATION)**

#### **TECHNOLOGIES THAT ARE USED**

GAN, neural networks, style transfer, face detection

#### **TASK:**

Creating universal media and entertainment content for transforming video into a digital avant-garde/art or watercolors

#### SOLUTION: Using different styles for better and more attractive content:

- Digital Art,
- Colored Avant-garde,
- Portrait
- and others.

#### **RESULT:**

•Creating a unique video content that causes a WOW effect

•Attracting new subscribers and customers



### TECHNICAL STACK:

Tensorflow, PyTorch, Cuda

#### **VIDEO OF THE ALGORITHM OPERATION**



# **ART PHOTO PROCESSING ONLINE**

#### **TECHNOLOGIES THAT ARE USED**

GAN, neural networks, style transfer, face detection

#### TASK:

Creating content using a large collection of styles of different artistic trends. It is also possible to use an arbitrary style set in the form of a custom sample image.

#### SOLUTION:

Styling is done using an original neural network algorithm that allows you to control the power of preserving the foreground.

#### **RESULT:**

Original photo filter with detailed visualization A diverse collection with more than 120 styles. Apply a custom style from any uploaded image. Tensorflow, PyTorch, Cuda

#### **TECHNICAL STACK:**

# VAN GOGH J.COM PORTRAIT



# TRANSFERRING FACES (DEEPFAKE TECHNOLOGIES)

**TECHNOLOGIES THAT ARE USED** 

GAN, neural networks, face detection, deepfake



Transfer of the selected face to the specified video sequence (both in the video and in the photo). Generating new faces and voices

#### SOLUTION:

Based on the deepfake technology and the input image of the face, the specified face is transferred to the selected video sequence to the found faces in the frames (you can use one or several). The overlay occurs frame-by-frame, both on the photo and on the video.

#### **RESULT:**

- Easy accessibility of content creation with deepfake technology
- Reducing the cost of working with graphics, production, video editing
- Realistic result of transferring faces to any video

# TECHNICAL STACK:

Tensorflow, PyTorch, Cuda

ORIGINA



DEEPFAKE



FinTech





## PROBLEM



# Availability of overdue loans (NPL) for business

The work of credit managers on the analysis of companies is performed manually - they can not fix the fact that the company is close to delinquency in time

You need a tool that **tells** credit managers that the **company is close to delinquency** 



## SOLUTION: AI MODEL BASED ON TWO DATA SETS

# The key value in scoring is the availability of data!

When building a scoring model, the determining factor for success is the availability of data. To build a model, a large number of different attributes/factors are used, which can be divided into two groups: General economic and individual factors





# FORECASTING OF OVERDUE LOANS OF CLIENTS-COMPANIES

#### PROBLEM

At the moment, in most banks, credit risks (the client's inability to fulfill loan obligations) of companies are analyzed manually on a monthly basis, and selectively for some of the companies from the entire list.

TASK

At the moment, in most banks, credit risks (the client's inability to fulfill loan obligations) of companies are analyzed manually on a monthly basis, and selectively for some of the companies from the entire list.

#### RESULT

Early detection of companies (clients) that are closest to the risk of the overdue loan (even before the fact delay).

#### BENEFIT

The forecast of the model is aimed at helping monitoring specialists to find companies with increased credit risk more effectively and quickly notify the owners and management of companies about possible risk in order to minimize it.





# GENERAL ARCHITECTURE OF THE METASCORING Z-UNION SOLUTION

# Sources of analyzed data

# Analytical modules (based on ML/DL)

# Interface


















### KEY FEATURES AND BENEFITS OF THE Z-UNION MODEL



A well-defined set of features that are used in the training process of the model

Based on a number of experiments, a **clear methodology for conducting** training and building a model has been developed

Based on the **already conducted pilot implementation** in the Customer bank and testing for 12 months. **The delay prediction range is up to 6 months** 



#### BRIEFLY ABOUT THE QUALITY OF THE MODEL

# $1000 \rightarrow$



Companies in the loan portfolio





#### BRIEFLY ABOUT THE QUALITY OF THE MODEL

# $1000 \rightarrow 100$

Companies in the loan portfolio

Companies go into monthly arrears





#### BRIEFLY ABOUT THE QUALITY OF THE MODEL

# $1000 \rightarrow 100$

Companies in the loan portfolio

Companies go into monthly arrears





#### THE MAIN ADVANTAGES OF THE SOLUTION AND THE TARGET RESULTS OF IMPLEMENTATION



The main goal and result of the NPL model is early detection of companies with a high probability of falling into arrears

#### **Risk reduction**



## SERVICES AND PRODUCTS IN THE BANKING SECTOR



Analysis of customer churn



Forecasting customer spending in the future



Clustering of the customer base, recommendation system of banking products Forecasting of overdue loans of clients-companies

A model for automatic classification of texts and customer requests



Development of chatbots/voice bots



#### CUSTOMER CHURN ANALYSIS

#### PROBLEM

High churn of customers, expressed in the absence of purchases and payments for a certain period of time.

The reasons for churn are not always obvious, and customer retention programs are ineffective.

#### RESULT

Data on customers ' payment transactions, socio-demographic characteristics, and information describing the Bank's products are analyzed. As a result of the analysis, using machine learning technologies, an algorithm was developed that predicts the probability of churn and shows the most likely factors that affect the termination of each client's use of the Bank's services.

#### **BENEFIT**

Increase the company's revenue by effectively retaining existing customers and maintaining loyalty

#### TASK

Develop a model to assess each client's churn propensity and take appropriate measures

by holding it.



### FORECASTING CUSTOMER SPENDING IN THE FUTURE

#### PROBLEM

Low efficiency of the loyalty program, which leads to the problem of timely delivery of a specific product to the target audience. Low accuracy in predicting customer behavior.

#### RESULT

Based on the history of past transactions and additional information about users, a model is built that predicts customer spending in the future by specific categories (MCC codes).

#### TASK

Development of a model for predicting the spending of selected clients for a certain period of time.



#### BENEFIT

The model forecast helps to optimize financial flows, and also allows you to predict some facts from the client's life (for example, the fact of a trip abroad). Using the model allows you to improve the quality of recommendations and further increases the accuracy when identifying customers who are prone to churn



#### PROBLEM

The ineffectiveness of the ad campaign. These clients do not return for additional services, or they return, but after a very long period of time

#### RESULT

A system has been developed based on the recommendation of the Bank's services, the input of which is provided with information about the client's transactions, income, socio-demographic characteristics, etc. Recommendations are issued based on the behavioral characteristics of one person or group of people (groups are determined as a result of the customer segmentation algorithm).

#### **BENEFIT**

- 1. Increase the profitability of banking products.
- 2. Reduce the cost of marketing campaigns and increase their effectiveness.
- 3. Increase sales through cross-sell and up-sell.

#### TASK

To develop an algorithm for the segmentation of the customer base. Build a recommendation system for the Bank's services.





#### DEMAND FORECASTING AND OPTIMAL ATM UTILIZATION

#### PROBLEM

ATM downtime due to the end of cash in them. Funding the money supply to cover the risks of late expiration of cash in the ATM TASK

Predict cash withdrawals/deposits at ATMs and Bank offices. Minimize the cost of funding and cash collection services for all objects of cash turnover

#### RESULT

We have developed a model based on time series analysis that allows us to predict the degree of ATM congestion for certain time periods.

The ATM loading model allows you to solve problems of optimal loading and cash supply. In comparison with the forecasts of a specialist analyst, the model produces more accurate results, besides removing labor costs from analysts and providing them with support in decision-making

#### BENEFIT

Reduced funding and collection costs Reduced ATM downtime Reducing analyst labor costs



# MODEL FOR AUTOMATIC CLASSIFICATION OF CUSTOMER REQUEST TEXTS

#### PROBLEM

A large amount of time required for processing the flow of input text information (business mail) intended for different persons (departments) of the company. Managers produce a classification of the addresses manually

#### RESULT

A model has been developed that classifies incoming customer requests received via email. Classified requests are automatically sent to the appropriate persons

#### BENEFIT

- 1. Reduce labor costs for processing emails
- 2. Reduced request processing time

#### TASK

Automate the process of classifying the input stream of text information into thematic sections



#### THE DEVELOPMENT OF CHAT-BOTS/VOICE-BOTS

#### PROBLEM

High load on customer support operators and call center operators. A large number of requests that require fast processing

#### RESULT

Development of an intelligent chatbot/voice bot based on an artificial intelligence algorithm. Interaction usually takes place via Internet chat/phone call. An intelligent chatbot/voice bot advises the user when visiting the site, forming the most targeted response for it (links to the necessary sections, drawing up documents, etc.)

#### TASK

- 1. Development of a smart chatbot/voice bot for prompt solution of a client's question

- 2. Covering a wide range of user requests, redirecting them to target sections to resolve the issue



#### **BENEFIT**

- 1. Reduced costs for contact center operators
- 2. Reduced processing time for customer requests
- 3. Customer retention







#### OUR COMPETENCE



#### Z-UNION - a team of developers in the field of neural network technologies and machine learning

10 +

Years of experience in software development > 300

Real projects with the use of AI made

## 000

#### Neural network

Recognition of people; Anomaly detection; Event detection; Image and text recognition



#### Machine learning

Development of predictive models (predicting traffic congestion, analyzing sentiment in social networks on the Internet); Development of scoring and delinquency models

#### Web-and mobile development

Mobile app development (iOS, Android); Creating high-complexity web projects; 3js (WebGL) technologies)

# 15 +

Key specialists in Al



#### OUR KEY CLIENTS AND PARTNERS



Наши ключевые клиенты и партнеры



#### WE INVITE YOU TO THE PILOT!

Duration of the pilot

# 3 months 6 members

**Dedicated project** team



Let's make your Data Science even stronger 2. Let's train and run the model 3. We will get a business result



#### BASIC PILOT PARAMETERS

#### The crew of the performer's team:

ML-team: Project Manager, Data Engineer, Senior Data science, Middle Data science x 2, Analyst + team of assessors

#### **Resources per project:**

Implementation period: from 3 to 6 months; Integration period: from 2 to 8 months; Specialist rate: from 40-50 dollars/hour Average project budget: 10 million rubles



- Reduction of the number of overdue loans Reduction of risks of non-return, prevention of non-return Increase in profit

#### **Economic impact**

Cost reduction



Skolkovo Institute of Science and Technology Bolshoy Boulevard 30, bld. 1 Moscow, Russia 121205

ceo@z-union.ru

550

Robert Vasilyev 8 (919) 729-86-39 @RobVas